

PUBLICATIONS

1. **Workman JL**, Langmore JP. Nucleoprotein hybridization: a method for isolating specific genes as high molecular weight chromatin. *Biochemistry* 1985;24:7486-97.
2. **Workman JL**, Langmore JP. Efficient solubilization and partial purification of sea urchin histone genes as chromatin. *Biochemistry* 1985;24:4731-8.
3. **Workman JL**. Isolation of specific genes as chromatin. PhD Thesis. University of Michigan. 1985.
4. Rigby BW, **Workman JL**, McLean M., Hanzely L, Ledwitz-Rigby F. Morphometric analysis of in vivo development of porcine ovarian granulosa cells in preovulatory antral follicles. *Cytobios* 1986;45:17-24.
5. **Workman JL**, Roeder RG. Binding of transcription factor TFIID to the major late promoter during in vitro nucleosome assembly potentiates subsequent initiation by RNA polymerase II. *Cell* 1987;51:613-22.
6. Abmayr SM, **Workman JL**, Roeder RG. The pseudorabies immediate early protein stimulates in vitro transcription by facilitating TFIID: promoter interactions. *Genes Dev* 1988;2:542-53.
7. **Workman JL**, Abmayr SM, Cromlish WA, Roeder RG. Transcriptional regulation by the immediate early protein of pseudorabies virus during in vitro nucleosome assembly. *Cell* 1988;55:211-9.
8. Cromlish WA, Abmayr SM, **Workman JL**, Horikoshi M, Roeder RG. Transcriptionally active immediate-early protein of pseudorabies virus binds to specific sites on class II gene promoters. *J Virol* 1989;63:1869-76.
9. **Workman JL**, Roeder RG, Kingston RE. An upstream transcription factor, USF (MLTF), facilitates the formation of preinitiation complexes during in vitro chromatin assembly. *EMBO J* 1990;9:1299-308.
10. Abmayr SM, **Workman JL**. Preparation of nuclear extracts from cultured cells. In *Current Protocols in Molecular Biology*. Ausubel FM, Brent R, Kingston RE, Moore DD, Siedman JG, Smith JA, Strubel K. eds. Greene Publishing Associates/Wiley Interscience, New York. 1990.
11. Taylor IC, **Workman JL**, Schuetz TJ, Kingston RE. Facilitated binding of GAL4 and heat shock factor to nucleosomal templates: differential function of DNA-binding domains. *Genes Dev* 1991;5:1285-98.
12. **Workman JL**, Taylor IC, Kingston RE. Activation domains of stably bound GAL4 derivatives alleviate repression of promoters by nucleosomes. *Cell* 1991;64:533-44.
13. **Workman JL**, Taylor IC, Kingston RE, Roeder RG. Control of class II gene transcription during in vitro nucleosome assembly. *Methods Cell Biol* 1991;35:419-47.
14. Cheng LZ, **Workman JL**, Kingston RE, Kelly TJ. Regulation of DNA replication in vitro by the transcriptional activation domain of GAL4-VP16. *Proc Natl Acad Sci U S A* 1992;89:589-93.
15. Abmayr SM, **Workman JL**. Preparation of nuclear extracts from cultured cells. In *Short Protocols in Molecular Biology*. Ausubel FM, Brent R, Kingston RE, Moore DD, Siedman JG, Smith JA, Strubel K. eds. Greene Publishing Associates/Wiley Interscience, New York. 1992:12.1-12.5.
16. **Workman JL**, Kingston RE. Nucleosome core displacement in vitro via a metastable transcription factor-nucleosome complex. *Science* 1992;258:1780-4.
17. Adams CC, **Workman JL**. Nucleosome displacement in transcription. *Cell* 1993;72:305-8.
18. Juan LJ, Walter PP, Taylor IC, Kingston RE, **Workman JL**. Nucleosome cores and histone H1 in the binding of GAL4 derivatives and the reactivation of transcription from nucleosome templates in vitro. *Cold Spring Harb Symp Quant Biol* 1993;58:213-23.
19. **Workman JL**, Buchman AR. Multiple functions of nucleosomes and regulatory factors in transcription. *Trends Biochem Sci* 1993;18:90-5.
20. Juan LJ, Walter PP, Taylor ICA, Kingston RE, **Workman JL**. Nucleosome cores and histone H1 in the binding of GAL4 derivatives and the reactivation of transcription from nucleosome templates in vitro. *Cold Spring Harb Symp Quant Biol: DNA and Chromosomes*. 1993;58:213-223.
21. Gilmour D, Buchman AR, **Workman JL**. Transcription regulation of a chromatin template. In: *Transcription Mechanism and Regulation*. Conaway RC and Conaway JW eds. Raven Press, New York. 1994;515-34.
22. Chen H, Li B, **Workman JL**. A histone-binding protein, nucleoplasmin, stimulates transcription factor binding to nucleosomes and factor-induced nucleosome disassembly. *EMBO J* 1994;13:380-90.
23. Cote J, Quinn J, **Workman JL**, Peterson CL. Stimulation of GAL4 derivative binding to nucleosomal DNA by the yeast SWI/SNF complex. *Science* 1994;265: 3-60.

24. Juan LJ, Utley RT, Adams CC, Vettese-Dadey M, **Workman JL**. Differential repression of transcription factor binding by histone H1 is regulated by the core histone amino termini. *EMBO J* 1994;13:6031-40.
25. Li B, Adams CC, **Workman JL**. Nucleosome binding by the constitutive transcription factor Sp1. *J Biol Chem* 1994;269:7756-63.
26. Owen-Hughes T, **Workman JL**. Experimental analysis of chromatin function in transcription control. *Crit Rev Eukaryot Gene Expr* 1994;4: 403-41.
27. Vettese-Dadey M, Walter P, Chen H, Juan LJ, **Workman JL**. Role of the histone amino termini in facilitated binding of a transcription factor, GAL4-AH, to nucleosome cores. *Mol Cell Biol* 1994;14:970-81.
28. Adams CC, **Workman JL**. Binding of disparate transcriptional activators to nucleosomal DNA is inherently cooperative. *Mol Cell Biol* 1995;15:1405-21.
29. Cote J, Utley RT, **Workman JL**. Basic analysis of transcription factor binding to nucleosomes. *Methods Mol Genet* 1995;6:108-28.
30. Vettese-Dadey M, Adams CC, Cote J, Walter PP, **Workman JL**. Experimental analysis of transcription factor/nucleosome interactions. *Methods Mol Genet* 1995;6:129-52.
31. Walter PP, Owen-Hughes TA, Cote J, **Workman JL**. Stimulation of transcription factor binding and histone displacement by nucleosome assembly protein 1 and nucleoplasmin requires disruption of the histone octamer. *Mol Cell Biol* 1995;15:6178-87.
32. Walter PP, Vettese-Dadey M, Cote J, Adams CC, Juan LF, Utley R, **Workman JL**. Mechanism and consequences of transcription factor binding to nucleosomes. In: *The Nucleus*. AP Wolffe ed., JAI Press, Greenwich 1995;1:79-100.
33. Mizzen CA, Yang XJ, Kokubo T, Brownell JE, Bannister AJ, Owen-Hughes T, **Workman JL**, Wang L, Berger SL, Kouzarides T, Nakatani Y, Allis CD. The TAF(II)250 subunit of TFIID has histone acetyltransferase activity. *Cell* 1996;87:1261-70.
34. Niu X, Adams CC, **Workman JL**, Guiltinan MJ. Binding of the wheat basic leucine zipper protein EmBP-1 to nucleosomal binding sites is modulated by nucleosome positioning. *Plant Cell* 1996;8:1569-87.
35. Owen-Hughes T, Utley RT, Cote J, Peterson CL, **Workman JL**. Persistent site-specific remodeling of a nucleosome array by transient action of the SWI/SNF complex. *Science* 1996;273:513-6.
36. Owen-Hughes T, **Workman JL**. Remodeling the chromatin structure of a nucleosome array by transcription factor-targeted trans-displacement of histones. *EMBO J* 1996;15:4702-12.
37. Steger DJ, **Workman JL**. Remodeling chromatin structures for transcription: what happens to the histones? *Bioessays* 1996;18:875-84.
38. Utley RT, Owen-Hughes TA, Juan LJ, Cote J, Adams CC, **Workman JL**. In vitro analysis of transcription factor binding to nucleosomes and nucleosome disruption/displacement. *Methods Enzymol* 1996;274:276-91.
39. Vettese-Dadey M, Grant PA, Hebbes TR, Crane-Robinson C, Allis CD, **Workman JL**. Acetylation of histone H4 plays a primary role in enhancing transcription factor binding to nucleosomal DNA in vitro. *EMBO J* 1996;15:2508-18.
40. Wang W, Cote J, Xue Y, Zhou S, Khavari PA, Biggar SR, Muchardt C, Kalpana GV, Goff SP, Yaniv M, **Workman JL**, Crabtree GR. Purification and biochemical heterogeneity of the mammalian SWI-SNF complex. *EMBO J* 1996;15:5370-82.
41. Grant PA, Duggan L, Cote J, Roberts SM, Brownell JE, Candau R, Ohba R, Owen-Hughes T, Allis CD, Winston F, Berger SL, **Workman JL**. Yeast Gcn5 functions in two multisubunit complexes to acetylate nucleosomal histones: characterization of an Ada complex and the SAGA (Spt/Ada) complex. *Genes Dev* 1997;11:1640-50.
42. Juan LJ, Utley RT, Vignali M, Bohm L, **Workman JL**. H1-mediated repression of transcription factor binding to a stably positioned nucleosome. *J Biol Chem* 1997;272:3635-40.
43. Kermekchiev M, Workman JL, Pikaard CS. Nucleosome binding by the polymerase I transactivator upstream binding factor displaces linker histone H1. *Mol Cell Biol* 1997;17:5833-42.
44. Steger DJ, Owen-Hughes T, John S, **Workman JL**. Analysis of transcription factor-mediated remodeling of nucleosomal arrays in a purified system. *Methods* 1997;12:276-85.
45. Steger DJ, Workman JL. Stable co-occupancy of transcription factors and histones at the HIV-1 enhancer. *EMBO J* 1997;16:2463-72.

46. Utley RT, Cote J, Owen-Hughes T, **Workman JL**. SWI/SNF stimulates the formation of disparate activator-nucleosome complexes but is partially redundant with cooperative binding. *J Biol Chem* 1997;272:12642-9.
47. Barlev NA, Poltoratsky V, Owen-Hughes T, Ying C, Liu L, **Workman JL**, Berger SL. Repression of GCN5 histone acetyltransferase activity via bromodomain-mediated binding and phosphorylation by the Ku-DNA-dependent protein kinase complex. *Mol Cell Biol* 1998;18:1349-58.
48. Cote J, Peterson CL, **Workman JL**. Perturbation of nucleosome core structure by the SWI/SNF complex persists after its detachment, enhancing subsequent transcription factor binding. *Proc Natl Acad Sci U S A* 1998;95:4947-52.
49. Eberharter A, John S, Grant PA, Utley RT, **Workman JL**. Identification and analysis of yeast nucleosomal histone acetyltransferase complexes. *Methods* 1998;15:315-21.
50. Grant PA, Schieltz D, Pray-Grant MG, Steger DJ, Reese JC, Yates JR, 3rd, **Workman JL**. A subset of TAF(II)s are integral components of the SAGA complex required for nucleosome acetylation and transcriptional stimulation. *Cell* 1998;94:45-53.
51. Grant PA, Schieltz D, Pray-Grant MG, Yates JR, 3rd, **Workman JL**. The ATM-related cofactor Tra1 is a component of the purified SAGA complex. *Mol Cell* 1998;2:863-7.
52. Grant PA, Sterner DE, Duggan LJ, Workman JL, Berger SL. The SAGA unfolds: convergence of transcription regulators in chromatin-modifying complexes. *Trends Cell Biol* 1998;8:193-7.
53. Grant PA, **Workman JL**. Transcription. A lesson in sharing? *Nature* 1998;396:410-1.
54. John S, **Workman JL**. Just the facts of chromatin transcription. *Science* 1998;282:1836-7.
55. John S, **Workman JL**. Bookmarking genes for activation in condensed mitotic chromosomes. *Bioessays* 1998;20:275-9.
56. Mutskov V, Gerber D, Angelov D, Ausio J, **Workman JL**, Dimitrov S. Persistent interactions of core histone tails with nucleosomal DNA following acetylation and transcription factor binding. *Mol Cell Biol* 1998;18:6293-304.
57. Steger DJ, Eberharter A, John S, Grant PA, **Workman JL**. Purified histone acetyltransferase complexes stimulate HIV-1 transcription from preassembled nucleosomal arrays. *Proc Natl Acad Sci U S A* 1998;95:12924-9.
58. Steger DJ, Utley RT, Grant PA, John S, Eberharter A, Cote J, Owen-Hughes T, Ikeda K, **Workman JL**. Regulation of transcription by multisubunit complexes that alter nucleosome structure. *Cold Spring Harb Symp Quant Biol* 1998;63: 483-91.
59. **Workman JL**. Methods: a comparative to methods in enzymology. Editorial. 1998;15:265-67.
60. Utley RT, Ikeda K, Grant PA, Cote J, Steger DJ, Eberharter A, John S, **Workman JL**. Transcriptional activators direct histone acetyltransferase complexes to nucleosomes. *Nature* 1998;394:498-502.
61. Vignali M, **Workman JL**. Location and function of linker histones. *Nat Struct Biol* 1998;5:1025-8.
62. **Workman JL**, Kingston RE. Alteration of nucleosome structure as a mechanism of transcriptional regulation. *Annu Rev Biochem* 1998;67:545-79.
63. Allard S, Utley RT, Savard J, Clarke A, Grant P, Brandl CJ, Pillus L, **Workman JL**, Cote J. NuA4, an essential transcription adaptor/histone H4 acetyltransferase complex containing Esa1p and the ATM-related cofactor Tra1p. *EMBO J* 1999;18:5108-19.
64. Barlev NA, Workman JL, Berger SL. Analysis of activity and regulation of hGcn5, a human histone acetyltransferase. *Methods Enzymol* 1999;304:696-715.
65. Bazett-Jones DP, Cote J, Landel CC, Peterson CL, **Workman JL**. The SWI/SNF complex creates loop domains in DNA and polynucleosome arrays and can disrupt DNA-histone contacts within these domains. *Mol Cell Biol* 1999;19:1470-8.
66. Eberharter A, Sterner DE, Schieltz D, Hassan A, Yates JR, 3rd, Berger SL, **Workman JL**. The ADA complex is a distinct histone acetyltransferase complex in *Saccharomyces cerevisiae*. *Mol Cell Biol* 1999;19:6621-31.
67. Grant PA, Berger SL, **Workman JL**. Identification and analysis of native nucleosomal histone acetyltransferase complexes. *Methods Mol Biol* 1999;119:311-7.
68. Grant PA, Eberharter A, John S, Cook RG, Turner BM, **Workman JL**. Expanded lysine acetylation specificity of Gcn5 in native complexes. *J Biol Chem* 1999;274:5895-900.

69. Howe L, Brown CE, Lechner T, **Workman JL**. Histone acetyltransferase complexes and their link to transcription. *Crit Rev Eukaryot Gene Expr* 1999;9:231-43.
70. Ikeda K, Steger DJ, Eberharter A, **Workman JL**. Activation domain-specific and general transcription stimulation by native histone acetyltransferase complexes. *Mol Cell Biol* 1999;19:855-63.
71. Massari ME, Grant PA, Pray-Grant MG, Berger SL, **Workman JL**, Murre C. A conserved motif present in a class of helix-loop-helix proteins activates transcription by direct recruitment of the SAGA complex. *Mol Cell* 1999;4:63-73.
72. Neely KE, Hassan AH, Wallberg AE, Steger DJ, Cairns BR, Wright AP, **Workman JL**. Activation domain-mediated targeting of the SWI/SNF complex to promoters stimulates transcription from nucleosome arrays. *Mol Cell* 1999;4:649-55.
73. Ohba R, Steger DJ, Brownell JE, Mizzen CA, Cook RG, Cote J, **Workman JL**, Allis CD. A novel H2A/H4 nucleosomal histone acetyltransferase in *Tetrahymena thermophila*. *Mol Cell Biol* 1999;19:2061-8.
74. Owen-Hughes T, Utley RT, Steger DJ, West JM, John S, Cote J, Havas KM, **Workman JL**. Analysis of nucleosome disruption by ATP-driven chromatin remodeling complexes. *Methods Mol Biol* 1999;119:319-31.
75. Steger DJ, **Workman JL**. Transcriptional analysis of purified histone acetyltransferase complexes. *Methods* 1999;19:410-6.
76. Sterner DE, Grant PA, Roberts SM, Duggan LJ, Belotserkovskaya R, Pacella LA, Winston F, **Workman JL**, Berger SL. Functional organization of the yeast SAGA complex: distinct components involved in structural integrity, nucleosome acetylation, and TATA-binding protein interaction. *Mol Cell Biol* 1999;19:86-98.
77. Wallberg AE, Neely KE, Gustafsson JA, **Workman JL**, Wright AP, Grant PA. Histone acetyltransferase complexes can mediate transcriptional activation by the major glucocorticoid receptor activation domain. *Mol Cell Biol* 1999;19:5952-9.
78. **Workman JL**. Function and composition of transcription adaptor/histone acetyltransferase complexes. In *Transcription regulation in eukaryotes*. Chambon P, Fukasawa T, Kornberg RD, Coath C. Eds. Human Frontier Science Program, Strasbourg, France. 1999.
79. Whitehouse I, Flaus A, Cairns BR, White MF, **Workman JL**, Owen-Hughes T. Nucleosome mobilization catalysed by the yeast SWI/SNF complex. *Nature* 1999;400:784-7.
80. **Workman JL**. Chromosomal gene expression. Book review. *Cell* 1999;96:487-9.
81. **Workman JL**. Gene regulation and cancer. Gene regulation and cancer: 10th anniversary meeting of the American Association of Cancer Research Special Conferences in Cancer Research, the Homestead, Hot Springs, Virginia, USA, 14-18 October 1999. *Trends Genet* 1999;15:9-10.
82. Brown CE, Lechner T, Howe L, **Workman JL**. The many HATs of transcription coactivators. *Trends Biochem Sci* 2000;25:15-9.
83. John S, Howe L, Tafrov ST, Grant PA, Sternglanz R, **Workman JL**. The something about silencing protein, Sas3, is the catalytic subunit of NuA3, a yTAF(II)30-containing HAT complex that interacts with the Spt16 subunit of the yeast CP (Cdc68/Pob3)-FACT complex. *Genes Dev* 2000;14:1196-208.
84. Berger SL, Grant PA, **Workman JL**, Allis CD. Histone acetyltransferase/transcription adaptor complexes. In *Chromatin structure and gene expression*. Elgin SCR, Workman JL, Eds. Oxford University Press. Oxford UK. 2nd edition. 2000.
85. Lechner T, Carrozza MJ, Yu Y, Grant PA, Eberharter A, Vannier D, Brosch G, Stillman DJ, Shore D, **Workman JL**. Sds3 (suppressor of defective silencing 3) is an integral component of the yeast Sin3[middle dot]Rpd3 histone deacetylase complex and is required for histone deacetylase activity. *J Biol Chem* 2000;275:40961-6.
86. Peterson CL, **Workman JL**. Promoter targeting and chromatin remodeling by the SWI/SNF complex. *Curr Opin Genet Dev* 2000;10:187-92.
87. Vignali M, Hassan AH, Neely KE, **Workman JL**. ATP-dependent chromatin-remodeling complexes. *Mol Cell Biol* 2000;20:1899-910.
88. Vignali M, Steger DJ, Neely KE, **Workman JL**. Distribution of acetylated histones resulting from Gal4-VP16 recruitment of SAGA and NuA4 complexes. *EMBO J* 2000;19:2629-40.

89. Wallberg AE, Neely KE, Hassan AH, Gustafsson JA, **Workman JL**, Wright AP. Recruitment of the SWI-SNF chromatin remodeling complex as a mechanism of gene activation by the glucocorticoid receptor tau1 activation domain. *Mol Cell Biol* 2000;20:2004-13.
90. Brown CE, Howe L, Sousa K, Alley SC, Carrozza MJ, Tan S, **Workman JL**. Recruitment of HAT complexes by direct activator interactions with the ATM-related Tra1 subunit. *Science* 2001;292:2333-7.
91. Hassan AH, Neely KE, Vignali M, Reese JC, Workman JL. Promoter targeting of chromatin-modifying complexes. *Front Biosci* 2001;6:D1054-64.
92. Hassan AH, Neely KE, **Workman JL**. Histone acetyltransferase complexes stabilize swi/snf binding to promoter nucleosomes. *Cell* 2001;104:817-27.
93. Ambayr SM, Carrozza M, **Workman JL**. Preparation of nuclear extracts from cultured cells. In *Current Protocols in Molecular Biology*. Ausubel FM, Brent R, Kingston RE, Moore DD, Siedman JG, Smith JA, Strubl K. eds. Greene Publishing Associates/Wiley Interscience, New York. 2001.
94. Howe L, Auston D, Grant P, John S, Cook RG, **Workman JL**, Pillus L. Histone H3 specific acetyltransferases are essential for cell cycle progression. *Genes Dev* 2001;15:3144-54.
95. Osada S, Sutton A, Muster N, Brown CE, Yates JR, 3rd, Sternglanz R, **Workman JL**. The yeast SAS (something about silencing) protein complex contains a MYST-type putative acetyltransferase and functions with chromatin assembly factor ASF1. *Genes Dev* 2001;15:3155-68.
96. Carrozza MJ, John S, Sil AK, Hopper JE, **Workman JL**. Gal80 confers specificity on HAT complex interactions with activators. *J Biol Chem* 2002;277:24648-52.
97. Elgin SC, **Workman JL**. Chromosome and expression mechanisms: a year dominated by histone modifications, transitory and remembered. *Curr Opin Genet Dev* 2002;12:127-9.
98. Flinn EM, Wallberg AE, Hermann S, Grant PA, **Workman JL**, Wright AP. Recruitment of Gcn5-containing complexes during c-Myc-dependent gene activation. Structure and function aspects. *J Biol Chem* 2002;277:23399-406.
99. Hassan AH, Prochasson P, Neely KE, Galasinski SC, Chandy M, Carrozza MJ, **Workman JL**. Function and selectivity of bromodomains in anchoring chromatin-modifying complexes to promoter nucleosomes. *Cell* 2002;111:369-79.
100. Howe L, Kusch T, Muster N, Chaterji R, Yates JR, 3rd, **Workman JL**. Yng1p modulates the activity of Sas3p as a component of the yeast NuA3 Hhistone acetyltransferase complex. *Mol Cell Biol* 2002;22: 5047-53.
101. Neely KE, Hassan AH, Brown CE, Howe L, **Workman JL**. Transcription activator interactions with multiple SWI/SNF subunits. *Mol Cell Biol* 2002;22:1615-25.
102. Neely KE, **Workman JL**. The complexity of chromatin remodeling and its links to cancer. *Biochim Biophys Acta* 2002;1603:19-29.
103. Neely KE, **Workman JL**. Histone acetylation and chromatin remodeling: which comes first? *Mol Genet Metab* 2002;76:1-5.
104. Pray-Grant MG, Schieltz D, McMahon SJ, Wood JM, Kennedy EL, Cook RG, **Workman JL**, Yates JR, 3rd, Grant PA. The novel SLIK histone acetyltransferase complex functions in the yeast retrograde response pathway. *Mol Cell Biol* 2002;22:8774-86.
105. Abmayr SM, **Workman JL**. Transcription factors prominently in Lasker Award to Roeder. *Cell* 2003;115:243-6.
106. Carrozza MJ, Hassan AH, **Workman JL**. Assay of activator recruitment of chromatin-modifying complexes. *Methods Enzymol* 2003;371:536-44.
107. Carrozza MJ, Kusch T, **Workman JL**. Repairing nucleosomes during transcription. *Nat Struct Biol* 2003;10:879-80.
108. Carrozza MJ, Utley RT, **Workman JL**, Cote J. The diverse functions of histone acetyltransferase complexes. *Trends Genet* 2003;19:321-9.
109. Kusch T, Guelman S, Abmayr SM, **Workman JL**. Two Drosophila Ada2 homologues function in different multiprotein complexes. *Mol Cell Biol* 2003;23:3305-19.
110. Li B, Howe L, Anderson S, Yates JR, 3rd, **Workman JL**. The Set2 histone methyltransferase functions through the phosphorylated carboxyl-terminal domain of RNA polymerase II. *J Biol Chem* 2003;278:8897-903.
111. Nourani A, Howe L, Pray-Grant MG, **Workman JL**, Grant PA, Cote J. Opposite role of yeast ING family members in p53-dependent transcriptional activation. *J Biol Chem* 2003;278:19171-5.

112. Prochasson P, Neely KE, Hassan AH, Li B, **Workman JL**. Targeting activity is required for SWI/SNF function in vivo and is accomplished through two partially redundant activator-interaction domains. *Mol Cell* 2003;12:983-90.
113. Sutton A, Shia WJ, Band D, Kaufman PD, Osada S, **Workman JL**, Sternglanz R. Sas4 and Sas5 are required for the histone acetyltransferase activity of Sas2 in the SAS complex. *J Biol Chem* 2003;278:16887-92.
114. Ercan S, Carrozza MJ, **Workman JL**. Global nucleosome distribution and the regulation of transcription in yeast. *Genome Biol* 2004;5:243.
115. Jeronimo C, Langelier MF, Zeghouf M, Cojocar M, Bergeron D, Baali D, Forget D, Mnaimneh S, Davierwala AP, Pootoolal J, Chandy M, Canadien V, Beattie BK, Richards DP, **Workman JL**, Hughes TR, Greenblatt J, Coulombe B. RPAP1, a novel human RNA polymerase II-associated protein affinity purified with recombinant wild-type and mutated polymerase subunits. *Mol Cell Biol* 2004;24:7043-58.
116. Kusch T, Florens L, Macdonald WH, Swanson SK, Glaser RL, Yates JR, 3rd, Abmayr SM, Washburn MP, **Workman JL**. Acetylation by Tip60 is required for selective histone variant exchange at DNA lesions. *Science* 2004;306:2084-7.
117. Lee KK, Prochasson P, Florens L, Swanson SK, Washburn MP, **Workman JL**. Proteomic analysis of chromatin-modifying complexes in *Saccharomyces cerevisiae* identifies novel subunits. *Biochem Soc Trans* 2004;32:899-903.
118. Meehan WJ, Samant RS, Hopper JE, Carrozza MJ, Shevde LA, **Workman JL**, Eckert KA, Verderame MF, Welch DR. Breast cancer metastasis suppressor 1 (BRMS1) forms complexes with retinoblastoma-binding protein 1 (RBP1) and the mSin3 histone deacetylase complex and represses transcription. *J Biol Chem* 2004;279:1562-9.
119. Robert F, Pokholok DK, Hannett NM, Rinaldi NJ, Chandy M, Rolfe A, **Workman JL**, Gifford DK, Young RA. Global position and recruitment of HATs and HDACs in the yeast genome. *Mol Cell* 2004;16:199-209.
120. Vermeulen M, Carrozza MJ, Lasonder E, **Workman JL**, Logie C, Stunnenberg HG. In vitro targeting reveals intrinsic histone tail specificity of the Sin3/histone deacetylase and N-CoR/SMRT corepressor complexes. *Mol Cell Biol* 2004;24:2364-72.
121. **Workman JL**, Abmayr SM. Histone H3 variants and modifications on transcribed genes. *Proc Natl Acad Sci USA* 2004;101:1429-30.
122. Cai Y, Jin J, Florens L, Swanson SK, Kusch T, Li B, **Workman JL**, Washburn MP, Conaway RC, Conaway JW. The mammalian YL1 protein is a shared subunit of the TRRAP/TIP60 histone acetyltransferase and SRCAP complexes. *J Biol Chem* 2005;280:13665-70.
123. Carrozza MJ, Florens L, Swanson SK, Shia WJ, Anderson S, Yates J, Washburn MP, **Workman JL**. Stable incorporation of sequence specific repressors Ash1 and Ume6 into the Rpd3L complex. *Biochim Biophys Acta* 2005;1731:77-87; discussion 75-6.
124. Carrozza MJ, Li B, Florens L, Sukanuma T, Swanson SK, Lee KK, Shia WJ, Anderson S, Yates J, Washburn MP, **Workman JL**. Histone H3 methylation by Set2 directs deacetylation of coding regions by Rpd3S to suppress spurious intragenic transcription. *Cell* 2005;123:581-92.
125. Ercan S, Reese JC, **Workman JL**, Simpson RT. Yeast recombination enhancer is stimulated by transcription activation. *Mol Cell Biol* 2005;25:7976-87.
126. Ferreira ME, Hermann S, Prochasson P, **Workman JL**, Berndt KD, Wright AP. Mechanism of transcription factor recruitment by acidic activators. *J Biol Chem* 2005;280:21779-84.
127. Jin J, Cai Y, Li B, Conaway RC, **Workman JL**, Conaway JW, Kusch T. In and out: histone variant exchange in chromatin. *Trends Biochem Sci* 2005;30:680-7.
128. Jin J, Cai Y, Yao T, Gottschalk AJ, Florens L, Swanson SK, Gutierrez JL, Coleman MK, **Workman JL**, Mushegian A, Washburn MP, Conaway RC, Conaway JW. A mammalian chromatin remodeling complex with similarities to the yeast INO80 complex. *J Biol Chem* 2005;280:41207-12.
129. Lee D, Ezhkova E, Li B, Pattenden SG, Tansey WP, **Workman JL**. The proteasome regulatory particle alters the SAGA coactivator to enhance its interactions with transcriptional activators. *Cell* 2005;123:423-36.
130. Lee KK, Florens L, Swanson SK, Washburn MP, **Workman JL**. The deubiquitylation activity of Ubp8 is dependent upon Sgf11 and its association with the SAGA complex. *Mol Cell Biol* 2005;25:1173-82.

131. Li B, Pattenden SG, Lee D, Gutierrez J, Chen J, Seidel C, Gerton J, **Workman JL**. Preferential occupancy of histone variant H2AZ at inactive promoters influences local histone modifications and chromatin remodeling. *Proc Natl Acad Sci U S A* 2005;102:18385-90. PMID: PMC1317944
132. Li B, Ruan C, **Workman JL**. Histones: should I stay or should I go? *Genome Biol* 2005;6: 306.
133. Pattenden SG, Chandy MJ, Gutierrez JL, **Workman JL**. Chromatin dynamics rule the genome. *Genome Biol* 2005;6:355.
134. Prochasson P, Florens L, Swanson SK, Washburn MP, **Workman JL**. The HIR corepressor complex binds to nucleosomes generating a distinct protein/DNA complex resistant to remodeling by SWI/SNF. *Genes Dev* 2005;19:2534-9. PMID: PMC1276727
135. Ruan C, **Workman JL**, Simpson RT. The DNA repair protein yKu80 regulates the function of recombination enhancer during yeast mating type switching. *Mol Cell Biol* 2005;25:8476-85.
136. Shia WJ, Osada S, Florens L, Swanson SK, Washburn MP, **Workman JL**. Characterization of the yeast trimeric-SAS acetyltransferase complex. *J Biol Chem* 2005;280:11987-94.
137. Abmayr SM, Yao T, Parmely T, **Workman JL**. Preparation of nuclear and cytoplasmic extracts from mammalian cells. *Curr Protoc Mol Biol* 2006;Chapter 12: Unit 12 1.
138. Carey M, Li B, Workman JL. RSC exploits histone acetylation to abrogate the nucleosomal block to RNA polymerase II elongation. *Mol Cell* 2006;24:481-7. PMID: PMC1847601
139. Chandy M, Gutierrez JL, Prochasson P, **Workman JL**. SWI/SNF displaces SAGA-acetylated nucleosomes. *Eukaryot Cell* 2006;5:1738-47.
140. Florens L, Carozza MJ, Swanson SK, Fournier M, Coleman MK, **Workman JL**, Washburn MP. Analyzing chromatin remodeling complexes using shotgun proteomics and normalized spectral abundance factors. *Methods* 2006;40:303-11.
141. Guelman S, Suganuma T, Florens L, Swanson SK, Kiesecker CL, Kusch T, Anderson S, Yates JR, 3rd, Washburn MP, Abmayr SM, **Workman JL**. Host cell factor and an uncharacterized SANT domain protein are stable components of ATAC, a novel dAda2A/dGcn5-containing histone acetyltransferase complex in *Drosophila*. *Mol Cell Biol* 2006;26:871-82.
142. Guelman S, Suganuma T, Florens L, Weake V, Swanson SK, Washburn MP, Abmayr SM, **Workman JL**. The essential gene *wda* encodes a WD40 repeat subunit of *Drosophila* SAGA required for histone H3 acetylation. *Mol Cell Biol* 2006;26:7178-89.
143. Shia WJ, Li B, **Workman JL**. SAS-mediated acetylation of histone H4 Lys 16 is required for H2A.Z incorporation at subtelomeric regions in *Saccharomyces cerevisiae*. *Genes Dev* 2006;20:2507-12. PMID: PMC1578674
144. Shia WJ, Pattenden SG, **Workman JL**. Histone H4 lysine 16 acetylation breaks the genome's silence. *Genome Biol* 2006;7:217.
145. **Workman JL**. Nucleosome displacement in transcription. *Genes Dev* 2006;20:2009-17.
146. Gutierrez JL, Chandy M, Carozza MJ, **Workman JL**. Activation domains drive nucleosome eviction by SWI/SNF. *EMBO J* 2007;26:730-40.
147. Allis CD, Berger SL, Cote J, Dent S, Jenuwien T, Kouzarides T, Pillus L, Reinberg D, Shi Y, Shiekhatter R, Shilatifard A, **Workman JL**, Zhang Y. New nomenclature for chromatin-modifying enzymes. *Cell* 2007;131:633-6.
148. Kusch T, **Workman JL**. Histone variants and complexes involved in their exchange. *Subcell Biochem* 2007;41:91-109.
149. Larschan E, Alekseyenko AA, Gortchakov AA, Peng S, Li B, Yang P, **Workman JL**, Park PJ, Kuroda MI. MSL complex is attracted to genes marked by H3K36 trimethylation using a sequence-independent mechanism. *Mol Cell* 2007;28:121-33.
150. Lee KK, **Workman JL**. Histone acetyltransferase complexes: one size doesn't fit all. *Nat Rev Mol Cell Biol* 2007;8:284-95.
151. Li B, Carey M, **Workman JL**. The role of chromatin during transcription. *Cell* 2007;128:707-19.
152. Li B, Gogol M, Carey M, Lee D, Seidel C, **Workman JL**. Combined action of PHD and chromo domains directs the Rpd3S HDAC to transcribed chromatin. *Science* 2007;316:1050-4. PMID: PMC1877753

153. Li B, Gogol M, Carey M, Pattenden SG, Seidel C, **Workman JL**. Infrequently transcribed long genes depend on the Set2/Rpd3S pathway for accurate transcription. *Genes Dev* 2007;21:1422-30.
154. Kwon SH, **Workman JL**. The heterochromatin protein 1 (HP1) family: put away a bias toward HP1. *Mol Cells* 2008;26:217-27.
155. Lin CH, Li B, Swanson S, Zhang Y, Florens L, Washburn MP, Abmayr SM, **Workman JL**. Heterochromatin protein 1a stimulates histone H3 lysine 36 demethylation by the Drosophila KDM4A demethylase. *Mol Cell* 2008;32:696-706. PMID: PMC2642969
156. Suganuma T, Gutierrez JL, Li B, Florens L, Swanson SK, Washburn MP, Abmayr SM, Workman JL. ATAC is a double histone acetyltransferase complex that stimulates nucleosome sliding. *Nat Struct Mol Biol* 2008;15:364-72.
157. Suganuma T, Pattenden SG, **Workman JL**. Diverse functions of WD40 repeat proteins in histone recognition. *Genes Dev* 2008;22:1265-8. PMID: PMC 2732410
158. Suganuma T, **Workman JL**. Crosstalk among Histone Modifications. *Cell* 2008;135:604-7.
159. Sural TH, Peng S, Li B, **Workman JL**, Park PJ, Kuroda MI. The MSL3 chromodomain directs a key targeting step for dosage compensation of the Drosophila melanogaster X chromosome. *Nat Struct Mol Biol* 2008;15:1318-25. PMID: PMC2636508
160. Weake VM, Lee KK, Guelman S, Lin CH, Seidel C, Abmayr SM, **Workman JL**. SAGA-mediated H2B deubiquitination controls the development of neuronal connectivity in the Drosophila visual system. *EMBO J* 2008;27:394-405. PMID: PMC2234343
161. Weake VM, **Workman JL**. Clearing the way for unpaused polymerases. *Cell* 2008;134:16-8.
162. Weake VM, **Workman JL**. Histone ubiquitination: triggering gene activity. *Mol Cell* 2008;29:653-63.
163. Camahort R, Shivaraju M, Mattingly M, Li B, Nakanishi S, Zhu D, Shilatifard A, **Workman JL**, Gerton JL. Cse4 is part of an octameric nucleosome in budding yeast. *Mol Cell* 2009;35:794-805. PMID: PMC2757638
164. Ferreira ME, Prochasson P, Berndt KD, **Workman JL**, Wright AP. Activator-binding domains of the SWI/SNF chromatin remodeling complex characterized in vitro are required for its recruitment to promoters in vivo. *FEBS J* 2009;276:2557-65.
165. Lee KK, Swanson SK, Florens L, Washburn MP, **Workman JL**. Yeast Sgf73/Ataxin-7 serves to anchor the deubiquitination module into both SAGA and Slik(SALSA) HAT complexes. *Epigenetics Chromatin* 2009;2:2. PMID: PMC2657900
166. Li B, Jackson J, Simon MD, Fleharty B, Gogol M, Seidel C, **Workman JL**, Shilatifard A. Histone H3 lysine 36 dimethylation (H3K36me2) is sufficient to recruit the Rpd3s histone deacetylase complex and to repress spurious transcription. *J Biol Chem* 2009;284:7970-6. PMID: PMC2658090
167. Mosley AL, Pattenden SG, Carey M, Venkatesh S, Gilmore JM, Florens L, **Workman JL**, Washburn MP. Rtr1 is a CTD phosphatase that regulates RNA polymerase II during the transition from serine 5 to serine 2 phosphorylation. *Mol Cell* 2009;34:168-78. PMID: PMC2996052
168. Sardiù ME, Gilmore JM, Carrozza MJ, Li B, **Workman JL**, Florens L, Washburn MP. Determining protein complex connectivity using a probabilistic deletion network derived from quantitative proteomics. *PLoS One* 2009;4:e7310. PMID: PMC2751824
169. Weake VM, **Workman JL**. Histone ubiquitination. In: *Handbook of cell signaling*. Bradshaw RA, Dennis EA. eds. Academic Press 2nd edition. 2009;2499-60.
170. Smith KT, **Workman JL**. Introducing the acetylome. *Nat Biotechnol* 2009;27:917-9.
171. Smith KT, **Workman JL**. Histone deacetylase inhibitors: anticancer compounds. *Int J Biochem Cell Biol* 2009;41:21-5.
172. Weake VM, Swanson SK, Mushegian A, Florens L, Washburn MP, Abmayr SM, **Workman JL**. A novel histone fold domain-containing protein that replaces TAF6 in Drosophila SAGA is required for SAGA-dependent gene expression. *Genes Dev* 2009;23:2818-23. PMID: PMC2800089
173. Weake VM, **Workman JL**. Hit and run: X marks the spot! *Nat Struct Mol Biol* 2009;16: 801-3.
174. Govind CK, Qiu H, Ginsburg DS, Ruan C, Hofmeyer K, Hu C, Swaminathan V, **Workman JL**, Li B, Hinnebusch AG. Phosphorylated Pol II CTD recruits multiple HDACs, including Rpd3C(S), for methylation-dependent deacetylation of ORF nucleosomes. *Mol Cell* 2010;39:234-46. PMID: PMC2937259

175. Hewawasam G, Shivaraju M, Mattingly M, Venkatesh S, Martin-Brown S, Florens L, **Workman JL**, Gerton JL. Psh1 is an E3 ubiquitin ligase that targets the centromeric histone variant Cse4. *Mol Cell* 2010;40:444-54. PMID: PMC2998187
176. Kim JH, Saraf A, Florens L, Washburn M, **Workman JL**. Gcn5 regulates the dissociation of SWI/SNF from chromatin by acetylation of Swi2/Snf2. *Genes Dev* 2010;24:2766-71. PMID: PMC3003194
177. Kim JH, **Workman JL**. Histone acetylation in heterochromatin assembly. *Genes Dev* 2010;24:738-40. PMID: PMC2854388
178. Kwon SH, Florens L, Swanson SK, Washburn MP, Abmayr SM, **Workman JL**. Heterochromatin protein 1 (HP1) connects the FACT histone chaperone complex to the phosphorylated CTD of RNA polymerase II. *Genes Dev* 2010;24:2133-45. PMID: PMC2947766
179. Pattenden SG, Gogol MM, **Workman JL**. Features of cryptic promoters and their varied reliance on bromodomain-containing factors. *PLoS One* 2010;5:e12927. PMID: PMC2944879
180. Smith KT, Martin-Brown SA, Florens L, Washburn MP, **Workman JL**. Deacetylase inhibitors dissociate the histone-targeting ING2 subunit from the Sin3 complex. *Chem Biol* 2010;17:65-74. PMID: PMC2819981
181. Suganuma T, Mushegian A, Swanson SK, Abmayr SM, Florens L, Washburn MP, **Workman JL**. The ATAC acetyltransferase complex coordinates MAP kinases to regulate JNK target genes. *Cell* 2010;142:726-36.
182. Suganuma T, **Workman JL**. Features of the PHF8/KIAA1718 histone demethylase. *Cell Res* 2010;20:861-2.
183. Suganuma T, **Workman JL**. WD40 repeats arrange histone tails for spreading of silencing. *J Mol Cell Biol* 2010;2:81-3.
184. Vilhais-Neto GC, Maruhashi M, Smith KT, Vasseur-Cognet M, Peterson AS, **Workman JL**, Pourquie O. Rere controls retinoic acid signalling and somite bilateral symmetry. *Nature* 2010;463:953-7.
185. Weake VM, **Workman JL**. Inducible gene expression: diverse regulatory mechanisms. *Nat Rev Genet* 2010;11:426-37.
186. Bian C, Xu C, Ruan J, Lee KK, Burke TL, Tempel W, Barsyte D, Li J, Wu M, Zhou BO, Fleharty BE, Paulson A, Allali-Hassani A, Zhou JQ, Mer G, Grant PA, **Workman JL**, Zang J, Min J. Sgf29 binds histone H3K4me2/3 and is required for SAGA complex recruitment and histone H3 acetylation. *EMBO J* 2011;30:2829-42. PMID: PMC3160252
187. Chittuluru JR, Chaban Y, Monnet-Saksouk J, Carrozza MJ, Sapountzi V, Selleck W, Huang J, Utley RT, Cramet M, Allard S, Cai G, **Workman JL**, Fried MG, Tan S, Cote J, Asturias FJ. Structure and nucleosome interaction of the yeast NuA4 and Piccolo-NuA4 histone acetyltransferase complexes. *Nat Struct Mol Biol* 2011;18:1196-203. PMID: PMC3210417
188. Gkikopoulos T, Schofield P, Singh V, Pinskaya M, Mellor J, Smolle M, **Workman JL**, Barton GJ, Owen-Hughes T. A role for Snf2-related nucleosome-spacing enzymes in genome-wide nucleosome organization. *Science* 2011;333:1758-60. PMID: PMC3428865
189. Kwak J, **Workman JL**, Lee D. The proteasome and its regulatory roles in gene expression. *Biochim Biophys Acta* 2011;1809:88-96.
190. Kwon SH, **Workman JL**. HP1c casts light on dark matter. *Cell Cycle* 2011;10:625-30.
191. Kwon SH, **Workman JL**. The changing faces of HP1: From heterochromatin formation and gene silencing to euchromatic gene expression: HP1 acts as a positive regulator of transcription. *Bioessays* 2011;33:280-9.
192. Lee KK, Sardi ME, Swanson SK, Gilmore JM, Torok M, Grant PA, Florens L, **Workman JL**, Washburn MP. Combinatorial depletion analysis to assemble the network architecture of the SAGA and ADA chromatin remodeling complexes. *Mol Syst Biol* 2011;7:503. PMID: PMC3159981
193. Lin CH, **Workman JL**. Suppression of cryptic intragenic transcripts is required for embryonic stem cell self-renewal. *EMBO J* 2011;30:1420-1. PMID: PMC3102269
194. Mosley AL, Sardi ME, Pattenden SG, **Workman JL**, Florens L, Washburn MP. Highly reproducible label free quantitative proteomic analysis of RNA polymerase complexes. *Mol Cell Proteomics* 2011;10:M110 000687. PMID: PMC3033667
195. Smolle M, **Workman JL**. Signaling through chromatin: setting the scene at kinetochores. *Cell* 2011;146:671-2.
196. Suganuma T, **Workman JL**. Signals and combinatorial functions of histone modifications. *Annu Rev Biochem* 2011;80:473-99.

197. Weake VM, Dyer JO, Seidel C, Box A, Swanson SK, Peak A, Florens L, Washburn MP, Abmayr SM, **Workman JL**. Post-transcription initiation function of the ubiquitous SAGA complex in tissue-specific gene activation. *Genes Dev* 2011;25:1499-509. PMID: PMC3143940
198. Yun M, Wu J, **Workman JL**, Li B. Readers of histone modifications. *Cell Res* 2011;21:564-78. PMID: PMC3131977
199. Ghosh S, Gardner JM, Smoyer CJ, Friederichs JM, Unruh JR, Slaughter BD, Alexander R, Chisholm RD, Lee KK, **Workman JL**, Jaspersen SL. Acetylation of the SUN protein Mps3 by Eco1 regulates its function in nuclear organization. *Mol Biol Cell* 2012;23:2546-59. PMID: PMC3386218
200. Gilmore JM, Sardi ME, Venkatesh S, Stutzman B, Peak A, Seidel CW, **Workman JL**, Florens L, Washburn MP. Characterization of a highly conserved histone related protein, Ydl156w, and its functional associations using quantitative proteomic analyses. *Mol Cell Proteomics* 2012;11:M111 011544. PMID: PMC3322567
201. Kuryan BG, Kim J, Tran NN, Lombardo SR, Venkatesh S, **Workman JL**, Carey M. Histone density is maintained during transcription mediated by the chromatin remodeler RSC and histone chaperone NAP1 in vitro. *Proc Natl Acad Sci U S A* 2012;109:1931-6. PMID: PMC3277555
202. Steinberg XP, Hepp MI, Fernandez Garcia Y, Sukanuma T, Swanson SK, Washburn M, **Workman JL**, Gutierrez JL. Human CCAAT/enhancer-binding protein beta interacts with chromatin remodeling complexes of the imitation switch subfamily. *Biochemistry* 2012;51:952-62.
203. Sukanuma T, Mushegian A, Swanson SK, Florens L, Washburn MP, **Workman JL**. A metazoan ATAC acetyltransferase subunit that regulates mitogen-activated protein kinase signaling is related to an ancient molybdopterin synthase component. *Mol Cell Proteomics* 2012;11:90-9. PMID: PMC3418850
204. Weake VM, **Workman JL**. SAGA function in tissue-specific gene expression. *Trends Cell Biol* 2012;22:177-84. PMID: PMC3322277
205. Lin CH, Paulson A, Abmayr SM, **Workman JL**. HP1a targets the Drosophila KDM4A demethylase to a subset of heterochromatin genes to regulate H3K36me3 levels. *PLoS One* 2012;7(6):e39758. PMID: PMC3384587
206. Sukanuma T, **Workman JL**. MAP kinase and histone modifications. *J Mol Cell Bio* 2012;Oct 4(5):348-50.
207. Smith KT, **Workman JL**. Chromatin proteins: responders to stress. *PLoS Biology* 2012;10:e1001371. PMID: PMC3409139
208. Venkatesh S, Smolle M, Gogol MM, Saint M, Kumar S, Natarajan K, **Workman JL**. Set2 methylation of histone H3 lysine36 suppresses histone exchange on transcribed genes. *Nature* 2012;489(7416):452-5.
209. Smolle M, Venkatesh S, Gogol MM, Li H, Zhang Y, Florens L, Washburn MP, **Workman JL**. Chromatin remodelers Isw1 and Chd1 maintain chromatin structure during transcription by preventing histone exchange. *Nat Struct Mol Biol* 2012;19(9):884-92. PMID: PMC3560291
210. Abmayr SM and **Workman JL**. Holding on through DNA replication: histone modification or modifier? *Cell* 2012;150(5):875-7.
211. Smith KT, Sardi ME, Martin-Brown SA, Seidel C, Mushegian A, Egidy R, Florens L, Washburn MP, **Workman JL**. Functional characterization of the human FAM60A protein: a new subunit of the Sin3 deacetylase complex. *Mol Cell Proteomics* 2012;11(12):1815-28. PMID: PMC3518139
212. Dutta A, **Workman JL**. Nucleosome positioning: multiple mechanisms toward a unifying goal. *Mol Cell* 2012;Oct 1248(1):1-2.
213. Venkatesh S, **Workman JL**. Non-coding transcription SETs up regulation. *Cell Res* 2012;Mar 3(3):311-3.
214. Smolle M and **Workman JL**. Transcription-associated histone modification and cryptic transcription. *Biochim Biophys Acta* 2013;Jan 1829(1):84-97.
215. Smolle M, **Workman JL**, Venkatesh S. reSETting chromatin during transcription elongation. *Epigenetics* 2013;Jan 1:8(1):10-5. PMID: PMC3549872
216. Venkatesh S, **Workman JL**, Smolle M. UpSETting chromatin during non-coding RNA production. *Epigenetics Chromatin* 2013;Jun 5;6(1):16 PMID:
217. Mosley AL, Hunter GO, Sardi M, Smolle ME, **Workman JL**, Florens L, Washburn MP. Quantitative proteomics demonstrates that the RNA polymerase II subunits Rpb4 and Rpb7 dissociate during transcription elongation. *Mol Cell Proteomics* 2013;Jun 12(6):1530-8. PMID: PMC3675811
218. Sukanuma T, **Workman JL**. Chromatin and signaling. *Curr Opin Cell Biol* 2013;Jun 25(3):322-6.

219. Zhang D, Suganuma T, **Workman JL**. Acetylation regulates Jun protein turnover in Drosophila. *Biochem Biophys Acta* 2013;July 25 1829(11):1218-24.
220. Huang F, **Workman JL**. Directing transcription to the right way. *Cell Res* 2013;Oct 23(10):1153-4. PMID: PMC3790231
221. Becker PB, **Workman JL**. Nucleosome remodeling and epigenetics. *Cold Spring Harb Perspect Biol* Sep 2013;1:5(9).
222. Venkatesh S, **Workman JL**. Set 2 mediated H3 lysine 36 methylation: regulation of transcription elongation and implications in organismal development. *Wiley Interdiscip Rev Dev* 2013;Sep-Oct 2(5):685-700. PMID: PMC3767924
223. Dutta A, **Workman JL**. Remodeling without a power stroke. *EMBO Rep* 2013;Dec 14(12):1030-1.
224. Khan DH, Gonzalez C, Cooper C, Sun JM, Chen HY, Healy S, Xu W, Smith KT, **Workman JL**, Leygue E, Davie JR. RNA-dependent dynamic histone acetylation regulates MCL1 alternative splicing. *Nucleic Acids Res* 2014;Feb 1(42(3):1656-70. PMID: PMC3919583
225. Mohan RD, Dialynas G, Weake VM, Liu J, Martin-Brown S, Flores L, Washburn, **Workman JL**, Abmayr SM. Loss of Drosophila Ataxin-7, a SAGA subunit, educes H2B ubiquitination and leads to neural and retinal degeneration. *Genes Dev* 2014;Feb 1;28(3):259-72. PMID: PMC3923968
226. Venkatesh S, **Workman JL**. Recognizing methylated histone variant H3.3 to prevent tumors. *Cell Res* 2014;Jun 24(6):649-50. PMID: PMC4042173
227. Hepp MI, Alarcon V, Dutta A, **Workman JL**, Gutierrez JL. Nucleosome remodeling by the SWI/SNF complex is enhanced by yeast High Mobility Group Box (HMGB) proteins. *Biochim Biophys Acta* Sep 2014;1839(9):764-72. PMID: PMC4134981
228. Mohan RD, Abmayr SM, **Workman JL**. Pulling complexes out of complex diseases: Spinocerebellar Ataxia 7. *Rare Dis* 2014;Apr 14;2:e28859. PMID: PMC4091419
229. Sardu ME, Smith KT, Groppe BD, Gilmore JM, Saraf A, Egidy R, Peak A, Seidel C, Florens L, **Workman JL**, Washburn MP. Suberoylanilide hydroxamic acid (SAHA)-induced dynamics of a human histone deacetylase protein interaction network. *Mol Cell Proteomics* 2014;Nov;12(11):3114-25.
230. Mohan RD, Abmayr SM, **Workman JL**. The expanding role for chromatin and transcription in polyglutamine disease. *Curr Opin Genet Dev* 2014;Aug 7:260C:96-104.
231. Hewawasam GS, Mattingly M, Venkatesh S, Zhang Y, Florens L, **Workman JL**, Gerton JL. Phosphorylation by casein kinase 2 facilitates Psh1 protein-assisted degradation of Cs3r protein. *J Biol Chem* 2014 Oct 17;289(42):29297-309. PMID: PMC4200280
232. Dutta A, Gogol M, Kim JH, Smolle M, Venkatesh S, Gilmore, Florens L, Washburn MP, **Workman JL**. Swi/Snf dynamics on stress-responsive genes is governed by competitive bromodomain interactions. *Genes Dev* 2014 Oct 15;28(20):2314-30. PMID: PMC4200280
233. Mohan RD, **Workman JL**, Abmayr SM. Drosophila models reveal novel insights into mechanisms underlying neurodegeneration. *Fly* 2014 Jul 3;8(3):148-52. PMID
234. Huang F, Paulson A, Dutta A, Venkatesh S, Smolle M, Abmayr SM, **Workman JL**. Histone acetylation enok regulates oocyte polarization by promoting expression of the actin nucleation factor spire. *Genes Dev* 2014 Dec 15;28(24):2750-63. PMID: 25512562. PMID: PMC4265678
235. Venkatesh S, **Workman JL**. Histone exchange chromatin structure and the regulation of transcription. *Nat Rev Mol Cell Biol* 2015 Mar 16(3):178-89. Review
236. Li, S, Swanson SK, Gogol M, Florens L, Washburn MP, **Workman JL**, Suganuma T. Serine and SAM responsive complex SESAME regulates histone modification crosstalk by sensing cellular metabolism. *Mol Cell* 2015 Nov 5;60(3):408-21.